Author index

AASLY, J. (*see* LANDGREN, S.)

ÅBORG, C.-H. (*see* UVNÄS, B.)

ADOLFSSON, J. The time dependence of training-induced increase in skeletal muscle capillarization and the spatial capillary to fibre relationship in normal and neovascularized skeletal muscle of rats, 259

AGNATI, L.F, FUXE, K., ZOLI, M., ZINI, I., TOFFANO, G. & FERRAGUTI, F. A correlation analysis of the regional distribution of central enkephalin and β-endorphin immunoreactive terminals and of opiate receptors in adult and old male rats. Evidence for the existence of two main types of communication in the central nervous system: the volume transmission and the wiring transmission, 201

AGNATI, L.F. (*see* BENFENATI, F.)

AGNATI, L.F. (*see* HÄRFSTRAND, A.)

AHLMAN, H. (*see* GRÖNSTAD, K.O.)

AHRÉN, B. & LUNDQUIST, I. Secretin potentiates cholinergically induced glucagon secretion in the mouse, 575

ANDERSSON, A. (*see* BIXO, M.)

ANDERSSON, B. (*see* FORSLID, A.)

ANDERSSON, K.-E. (*see* HÖGESTÄTT, E.D.)

ANDERSSON, K.-E. (*see* MAIGAARD, S.)

ANDERSSON, K.-E. (*see* USKI, T.K.)

APERIA, A., SAHLGREN, B., EKLÖF, A.-C., LUNDIN, S. & MELIN, P. Role of arginine-vasopressin for the development of hypertension following aortic constriction, 495

APOR, P. (*see* BOSCO, C.)

ARNER, M. & HÖGESTÄTT, E.D. Contractile effects of noradrenaline and 5-hydroxytryptamine in human hand veins: a pharmacological receptor characterization, 209

ARNQVIST, H. (*see* DAHLKVIST, H.)

ASTON-JONES, G. (*see* GRENHOFF, J.)

AUGUSTINSSON, O. & JOHANSSON, K. Ammonium chloride induced acidosis and aldosterone secretion in the goat, 535

BÄCKSTRÖM, T. (*see* BIXO, M.)

BENFENATI, F., CIMINO, M., AGNATI, L.F. & FUXE, K. Quantitative autoradiography of central neurotransmitter receptors: methodological and statistical aspects with special reference to computer-assisted image analysis, 129

BENFENATI, F. (*see* HÄRFSTRAND, A.)

BERG-JOHNSEN, J. & LANGMOEN, I.A. Isoflurane effects in rat hippocampal cortex: a quantitative evaluation of different cellular sites of action, 613

BERGSTEN, P., RORSMAN, F. & HELLMAN, B. Modifications of the pancreatic β-cell function after lowering their potassium content, 619

BIXO, M., BÄCKSTRÖM, T., WINBLAD, B., SELSTAM, G. & ANDERSSON, A. Comparison between pre- and postovulatory distributions of oestradiol and progesterone in the brain of the PMSG-treated rat, 241

BJÖRCK, S., FAHRENKRUG, J., JIVEGÅRD, L. & SVANVIK, J. Release of immunoreactive vasoactive intestinal peptide from the gallbladder in response to vagal stimulation, 639

BÖÖJ, S., LARSSON, P.-A., DAHLLÖF, A.-G. & DAHLSTRÖM, A. Axonal transport of synapsin I- and cholinergic synaptic vesicle-like material; further immunohistochemical evidence for transport of axonal cholinergic transmitter vesicles in motor neurons, 155

BOSCO, C., TIHANYI, J., LATTERI, F., FEKETE, G., APOR, P. & RUSKO, H. The effect of fatigue on store and re-use of elastic energy in slow and fast types of human skeletal muscles, 109

BRADLEY, T. & HJEMDAHL, P. Influence of afferent renal nerve activity on contralateral renal overflow of noradrenaline and dopamine to plasma in the dog, 119

BRADLEY, T., SOLLEVI, A. & LAGERKRANSER, M. Effect of hypotension induced by sodium nitroprusside on catecholamine overflow in the canine kidney, 305

BRODIN, L. & GRILLNER, S. Tonic inhibition of a new type of spinal interneurone during fictive locomotion in the lamprey, 327

BUANES, T., GROTMOL, T., LANDSVERK, T., RIDDERSTRÅLE, Y. & RÆDER, M.G. Histochemical localization of carbonic anhydrase in the pig's exocrine pancreas, 437

BUANES, T. (*see* GROTMOL, T.)

BÜLOW, J. & MADSEN, J. Exercise-induced increase in dog adipose tissue blood flow before and after denervation, 471

CARLSTEDT, T., LINDÅ, H., CULLHEIM, S. & RISLING, M. Reinnervation of hind limb muscles after ventral root avulsion and implantation in the lumbar spinal cord of the adult rat, 645

CHRISTENSEN, B.L. (*see* THORN, N.A.)

CIMINO, M. (*see* BENFENATI, F.)

CULLHEIM, S. (*see* CARLSTEDT, T.)

DAHLKVIST, H. & ARNQVIST, H. Effect of fasting and refeeding on glucose metabolism in rat aorta, 223

DAHLLÖF, A.-G. (*see* BÖÖJ, S.)

DAHLSTRÖM, A. (*see* BÖÖJ, S.)

DAHLSTRÖM, A. (*see* GRÖNSTAD, K.O.)

DANIELSSON, E. (*see* LANDGREN, S.)
DANIELSSON, I. & NORRSELL, U. Somatosensory units in the cat's intercollicular region, 579
DANIELSSON, L.-G. (*see* UVNÄS, B.)
DELBRO, D. & GUSTAFSSON, B. Vagally and vago-vagally induced non-adrenergic, non-cholinergic relaxations of the feline jejunum, 125

EKENVALL, L. (*see* LINDBLAD, L.E.)
EKLÖF, A.-C. (*see* APERIA, A.)
EKLUND, S., JODAL, M. & LUNDGREN, O. The net fluid secretion caused by cyclic 3′5′-guanosine monophosphate in the rat jejunum *in vivo* is mediated by a local nervous reflex, 57
ENGBERG, I. (*see* NEDERGAARD, S.)
ERJEFÄLT, I. & PERSSON, C.G.A. Anti-asthma drugs attenuate inflammatory leakage of plasma into airway lumen, 653

FAHRENKRUG, J. (*see*, BJÖRCK, S.)
FÄNDRIKS, L. Sympatho-adrenergic inhibition of vagally induced gastric motility and gastroduodenal HCO_3^- secretion in the cat, 555
FÄNDRIKS, L. (*see* JÖNSON, C.)
FÄNDRIKS, L. & STAGE, L. Simultaneous measurements of gastric motility and acid-bicarbonate secretions in the anaesthetised cat, 563
FARVER, O. (*see* THORN, N.A.)
FEKETE, G. (*see* BOSCO, C.)
FERRAGUTI, F. (*see* AGNATI, L.F.)
FLATMAN, J.A. (*see* NEDERGAARD, S.)
FLEMSTRÖM, G. (*see* JÖNSON, C.)
FORMAN, A. (*see* MAIGAARD, S.)
FORSBERG, K. & KARLSSON, J.-A. Cough induced by stimulation of capsaicin-sensitive sensory neurons in conscious guinea-pigs, 319
FORSLID, A., ANDERSSON, B. & JOHANSSON, S. Observations on normal EEG activity in different brain regions of the unrestrained swine, 389
FORSSELL, H. (*see* LUNDELL, L.)
FRANCO-CERECEDA, A. (*see* NAGATA, M.)
FREDHOLM, B.B., HU, P.-S. & LINDGREN, E. The dihydopyridine calcium-channel agonist BayK 8644 inhibits the presynaptic effects of R-phenylisopropyl adenosine in the rat hippocampus, 659
FUXE, K. (*see* AGNATI, L.F.)
FUXE, K. (*see* BENFENATI, F.)
FUXE, K. (*see* HÄRFSTRAND, A.)

GOLLVIK, L., KELLERTH, J.-O. & ULFHAKE, B. The effects of tenotomy and overload on the postnatal development of medial gastrocnemius motor units in the cat, 485
GOLDSTEIN, M. (*see* HÄRFSTRAND, A.)
GÓRSKA, T. & JOHANNISSON, T. Projection of Ia and Ib afferents from forelimb muscles to the C3–C4 segments of the cat spinal cord, 41
GRENHOFF, J., ASTON-JONES, G. & SVENSSON, T.H. Nicotinic effects on the firing pattern of midbrain dopamine neurons, 351
GRILLNER, S. (*see* BRODIN, L.)
GRÖNSTAD, K.O., DAHLSTRÖM, A., JAFFE, B.M., ZINNER, M.J. & AHLMAN, H. Studies on the mucosal hyperaemia of the feline small intestine observed at endoluminal perfusion with substance P, 97
GROTMOL, T., BUANES, T. & RÆDER, M.G. *NN*′-dicyclohexylcarbodiimide (DCCD) reduces pancreatic $NaHCO_3$ secretion without changing pancreatic tissue ATP levels, 547
GROTMOL, T. (*see* BUANES, T.)
GUSTAFSSON, B. (*see* DELBRO, D.)

HAGBARTH, K.-E. (*see* NORDIN, M.)
HALLBERG, A. Dissociation of phosphatidylinositol hydrolysis and insulin secretion of cultured mouse pancreatic islets, 267
HALLMAN, H. (*see* LUTHMAN, J.)
HAMMARSTRÖM, L.-E. (*see* HÖGESTÄTT, E.D.)
HARALDSSON, B., ZACKRISSON, U. & RIPPE, B. Calcium dependence of histamine-induced increases in capillary permeability in isolated perfused rat hindquarters, 247
HARCK, A.F. & LARSEN, E.H. Concentration dependence of halide fluxes and selectivity of the anion pathway in toad skin, 289
HÄRFSTRAND, A. Intraventricular administration of neuropeptide Y (NPY) induces hypotension, bradycardia and bradypnoea in the awake unrestrained male rat. Counteraction by NPY-induced feeding behaviour, 121
HÄRFSTRAND, A., FUXE, K., AGNATI, L.F., BENFENATI, F. & GOLDSTEIN, M. Receptor autoradiographical evidence for high densities of ^{125}I-neuropeptide Y binding sites in the nucleus tractus solitarius of the normal male rat, 195
HEDESKOV, C.J. (*see* KOFOD, H.)
HELLMAN, B. (*see* BERGSTEN, P.)
HELLSING, K. (*see* SAGULIN, G.-B.)
HELLSTRAND, P. (*see* LYDRUP, M.-L.)
HELLSTRÖM, P.M. Vagotomy inhibits the effect of neurotensin on gastrointestinal transit in the rat, 47
HENSCHEN, A., KESSLER, J., SEIGER, Å. & OLSON, L. Enkephalin and capsaicin-resistant substance P-like immunoreactivities in intra-ocular grafts of different fetal spinal cord areas, 175
HIRVONEN, J. (*see* LEPPÄLUOTO, J.)
HJEMDAHL, P. (*see* BRADLEY, T.)
HÖGESTÄTT, E.D., HAMMARSTRÖM, L.-E., ANDERSSON, K.-E. & HOLMIN, T. Contractile effects of various vasoactive agents in small rat portal veins and hepatic arteries and the influence of sympathetic denervation on the noradrenaline response, 309
HÖGESTÄTT, E.D. (*see* ARNER, M.)
HOLMIN, T. (*see* HÖGESTÄTT)
HU, P.-S. (*see* FREDHOLM, B.B.)

HUA, X.-Y., KINN, A.-C. & LUNDBERG, J.M. Capsaicin-sensitive nerves and ureteric motility: opposing effects of tachykinins and calcitonin gene-related peptide, 317
HUA, X.-Y. & LUNDBERG, J.M. Dual capsaicin effects on ureteric motility: low dose inhibition mediated by calcitonin gene-related peptide and high dose stimulation by tachykinins?, 453
HUTTUNEN, P. (*see* LEPPÄLUOTO, J.)

ILMARINEN, R. (*see* SMOLANDER, J.)

JAFFE, B.M. (*see* GRÖNSTAD, K.O.)
JANSSON, E. (*see* TERRADOS, N.)
JENNISCHE, E. Rapid regeneration in postischaemic skeletal muscle with undisturbed microcirculation, 409
JEPPESEN, C.K. (*see* THORN, N.A.)
JIVEGÅRD, L. (*see* BJÖRCK, S.)
JODAL, M. (*see* EKLUND, S.)
JODAL, M. (*see* KARLSTRÖM, L.)
JOHANNISSON, T. (*see* GÓRSKA, T.)
JOHANSSON, K. (*see* AUGUSTINSSON, O.)
JOHANSSON, O. A detailed account of NPY-immunoreactive nerves and cells of the human skin. Comparison with VIP-, substance P- and PHI-containing structures, 147
JOHANSSON, S. (*see* FORSLID, A.)
JÖNSON, C., NYLANDER, O., FLEMSTRÖM & FÄNDRIKS, L. Vagal stimulation of duodenal HCO_3^--secretion in anaesthestised rats, 65
JONSSON, G., NWANZE, E., LUTHMAN, J. & SUNDSTRÖM, E. Effect of MPTP and its pyridinium metabolites on monamine uptake and on central catecholamine neurons in mice, 187
JØRGENSEN, K. (*see* SJØGAARD, G.)

KARLSSON, J.-A. (*see* FORSBERG, K.)
KARLSSON, J.-A. (*see* KRÖLL, F.)
KARLSTRÖM, L., JODAL, M. & LUNDGREN, O. Blood flow distribution, lymph flow, villus tissue osmolality and fluid and electrolyte transport after exposing the cat small intestine to sodium dcoxycholate, 83
KARPAKKA, J. (*see* LEPPÄLUOTO, J.)
KELLERTH, J.-O. (*see* GOLLVIK, L.)
KESSLER, J. (*see* HENSCHEN, A.)
KIENS, B. (*see* SJØGAARD, G.)
KINN, A.-C. (*see* HUA, X.-Y.)
KOFOD, H., LERNMARK, Å. & HEDESKOV, C.J. Potentiation of insulin release in response to amino acid methyl esters correlates to activation of islet glutamate dehydrogenase activity, 335
KOLARI, P. (*see* SMOLANDER, J.)
KORHONEN, O. (*see* SMOLANDER, J.)
KOSKINEN, L.-O.D. Effects of TRH on cerebral and peripheral blood flows; role of submesencephalic brain stem centres, 277
KRÖLL, F., KARLSSON, J.-A., NILSSON, E., PERSSON, C.G.A. & RYRFELDT, Å. Lung mechanics of the guinea-pig isolated perfused lung, 1

LAGERKRANSER, M. (*see* BRADLEY, T.)
LANDGREN, S., SELSTAM, G., AASLY, J. & DANIELSSON, E. A method for recording effects of anti-epileptic drugs on interictal discharge in the cat's cerebral cortex. Factors determining the distribution of external carotid artery infusions, 415
LANDSVERK, T. (*see* BUANES, T.)
LANGMOEN, I.A. (*see* BERG-JOHNSEN, J.)
LÄNNERGREN, J. & WESTERBLAD, H. Force and membrane potential during and after fatiguing, continuous high frequency stimulation of single *Xenopus* muscle fibres, 359
LÄNNERGREN, J. (*see* WESTERBLAD, H.)
LARSEN, E.H. (*see* HARCK, A.F.)
LARSEN, T.A. (*see* TARKKA, I.M.)
LARSON, M. (*see* PERSSON, B.-E.)
LARSSON, P.-A. (*see* BÖÖJ, S.)
LATTERI, F. (*see* BOSCO, C.)
LEPPÄLUOTO, J., HUTTUNEN, P. HIRVONEN, J., VÄÄNÄNEN, A. TUOMINEN, M. & VUORI, J. Endocrine effects of repeated sauna bathing, 467
LEPPÄLUOTO, J., TUOMINEN, M., VÄÄNÄNEN, A. KARPAKKA, J. & VUORI, J. Some cardiovascular and metabolic effects of repeated sauna bathing, 77
LERNMARK, A. (*see* KOFOD, H.)
LINDÅ, H. (*see* CARLSTEDT, T.)
LINDBLAD, L.E. & EKENVALL, L. Alpha-adrenoceptors in the vessels of human finger skin, 219
LINDGREN, E. (*see* FREDHOLM, B.B.)
LINDSTRÖM, P., NORLUND, L. & SEHLIN, J. Potassium and chloride fluxes are involved in volume regulation in mouse pancreatic islet cells, 541
LÖNROTH, H. (*see* LUNDELL, L.)
LUNDBERG, J.M. (*see* HUA, X.-Y.)
LUNDBERG, J.M. (*see* NAGATA, M.)
LUNDBERG, J.M. (*see* PERNOW, J.)
LUNDELL, L., FORSSELL, H., LÖNROTH, H., ROSENGREN, E. & WINGREN, U. Histamine storage and formation in canine gastric mucosa—effect of pentagastrin formation, 587
LUNDGREN, O. (*see* EKLUND, S.)
LUNDGREN, O. (*see* KARLSTRÖM, L.)
LUNDIN, S. (*see* APERIA, A.)
LUNDQUIST, I. (*see* AHRÉN, B.)
LUPA, M.T. (*see* TABTI, N.)
LUTHMAN, J. & HALLMAN, H. Quantitation of noradrenaline nerve density in mouse iris by computer-assisted image analysis, 167
LUTHMAN, J. (*see* JONSSON, J.)
LYDRUP, M.-L. & HELLSTRAND, P. Rate of oxidative and glycolytic metabolism in the guinea-pig oviduct in relation to contractility and hormonal cycle, 525
LYSSARIDES, L. (*see* UVNÄS, B.)

MADSEN, J. (*see* BÜLOW, J.)
MAIGAARD, S., FORMAN, A. & ANDERSSON, K.-E. Differential effects of angiotensin, vasopressin and oxytocin on various smooth muscle tissues within the human uteroplacental unit, 23
MAIGAARD, S., FORMAN, A. & ANDERSSON, K.-E. Relaxant and contractile effects of some amines and prostanoids in myometrial and vascular smooth muscle within the human uteroplacental unit, 33
MATTILA, S. (*see* VILJANEN, A.A.)
MELICHNA, J. (*see* TERRADOS, N.)
MELIN, P. (*see* APERIA, A.)

NAGATA, M., FRANCO-CERECEDA, A., SVENSSON, T.H. & LUNDBERG, J.M. Clonidine treatment elevates content of neuropeptide Y in cardiac nerves, 321
NEDERGAARD, S., ENGBERG, I. & FLATMAN, J.A. Serotonin facilitates NMDA responses of cat neocortical neurones, 323
NIELSEN, F.S. (*see* THORN, N.A.)
NILSSON, E. (*see* KRÖLL, F.)
NORDIN, M., HAGBARTH, K.-E., THOMANDER, L. & WALLIN, U. Microelectrode recordings from the facial nerve in man, 379
NORLUND, L. (*see* LINDSTRÖM, P.)
NORRSELL, U. (*see* DANIELSSON, I.)
NWANZE, E. (*see* JONSSON, G.)
NYLANDER, O. (*see* JÖNSON, C.)

ODDSSON, L. & THORSTENSSON, A. Fast voluntary trunk flexion movements in standing: primary movements and associated postural adjustments, 341
OLSON, L. (*see* HENSCHEN, A.)

PERNOW, J. & LUNDBERG, J.M. Neuropeptide Y constricts human skeletal muscle arteries via a nifedipine-sensitive mechanism independent of extracellular calcium?, 655
PERSSON, B.-E. & LARSON, M. Carbonic anhydrase inhibition and cell volume regulation in *Necturus* gallbladder, 501
PERSSON, C.G.A. (*see* ERJEFÄLT, I.)
PERSSON, C.G.A. (*see* KRÖLL, F.)

RÆDER, M.G. (*see* BUANES, T.)
RÆDER, M.G. (*see* GROTMOL, T.)
RIDDERSTRÅLE, Y. (*see* BUANES, T.)
RIPPE, B. (*see* HARALDSSON, B.)
RISLING, M. (*see* CARLSTEDT, T.)
ROOMANS, G.M. (*see* SAGULIN, G.-B.)
RORSMAN, F. (*see* BERGSTEN, P.)
ROSENGREN, E. (*see* LUNDELL, L.)
RUSKO, H. (*see* BOSCO, C.)
RYRFELDT, Å. (*see* KRÖLL, F.)

SAGULIN, G.-B., TØRRING, O., HELLSING, K. & ROOMANS, G.M. Saliva and sweat secretion in man during a one-hour calcium clamp, 509
SAHLGREN, B. (*see* APERIA, A.)
SALTIN, B. (*see* SJØGAARD, G.)
SCHANTZ, P.G., SJÖBERG, B. & SVEDENHAG, J. Malate–aspartate and alpha-glycerophosphate shuttle enzyme levels in human skeletal muscle: methodological considerations and effect of endurance training, 397
SEHLIN, J. (*see* LINDSTRÖM, P.)
SEIGER, Å. (*see* HENSCHEN, A.)
SELSTAM, G. (*see* BIXO, M.)
SELSTAM, G. (*see* LANDGREN, S.)
SHYU, B.C. & THORÉN, P. Circulatory events following spontaneous muscle exercise in normotensive and hypertensive rats, 515
SJÖBERG, B. (*see* SCHANTZ, P.G.)
SJØGAARD, G., KIENS, B., JØRGENSEN, K. & SALTIN, B. Intramuscular pressure, EMG and blood flow during low-level prolonged static contraction in man, 475
SKARPHEDINSSON, J.O., STAGE, L. & THORÉN, P. Cerebral function during hypotensive haemorrhage in spontaneously hypertensive rats and Wistar Kyoto rats, 445
SKARPHEDINSSON, J.O. & THORÉN, P. The effects of naloxone on cerebral function in spontaneously hypertensive rats during hypotensive haemorrhage, 597
SMOLANDER, J., KOLARI, P., KORHONEN, O. & ILMARINEN, R. Aerobic and anaerobic responses to incremental exercise in a thermoneutral and a hot dry environment, 15
SOLLEVI, A. (*see* BRADLEY, T.)
STAGE, L. (*see* FÄNDRIKS, L.)
STAGE, L. (*see* SKARPHEDINSSON, J.O.)
SUNDSTRÖM, E. (*see* JONSSON, G.)
SVANVIK, J. (*see* BJÖRCK, S.)
SVEDENHAG, J. (*see* SCHANTZ, P.G.)
SVENSSON, T.H. (*see* GRENHOFF, J.)
SVENSSON, T.H. (*see* NAGATA, M.)
SYLVÉN, C. (*see* TERRADOS, N.)

TABTI, N., LUPA, M.T., YU, S.P. & THESLEFF, S. Pharmacological characterization of the calcium-insensitive, intermittent acetylcholine release at the rat neuromuscular junction, 429
TARKKA, I.M. & LARSEN, T.A. Short and long latency reflex responses elicited by electrical and mechanical stimulation in human hand muscle, 71
TERRADOS, N., MELICHNA, SYLVÉN, C. & JANSSON, E. Decrease in skeletal muscle myoglobin with intensive training in man, 651
THESLEFF, S. (*see* TABTI, N.)
THOMANDER, L. (*see* NORDIN, M.)
THORÉN, P. (*see* SHYU, B.C.)
THORÉN, P. (*see* SKARPHEDINSSON, J.O.)
THORN, N.A., JEPPESEN, C.K. & NIELSEN, F.S. Glucocorticoids and tri-iodothyronine inhibit uptake of ascorbic acid to isolated nerve terminals from ox neurohypophyses, 643

THORN, N.A., NIELSEN, F.S., JEPPERSEN, C.K., CHRISTENSEN, B.L. & FARVER, O. Uptake of dehydroascorbic acid and ascorbic acid to isolated nerve terminals and secretory granules from ox neurohypophyses, 629
THORSTENSSON, A. (*see* ODDSSON, L.)
THYBERG, J. (*see* UVNÄS, B.)
TIHANYI, J. (*see* BOSCO, C.)
TOFFANO, G. (*see* AGNATI, L.F.)
TØRRING, O. (*see* SAGULIN, G.-B.)
TOSSMAN, U. & UNGERSTEDT, U. Microdialysis in the study of extracellular levels of amino acids in the rat brain, 9
TUOMINEN, M. (*see* LEPPÄLUOTO, J.)

ULFHAKE, B. (*see* GOLLVIK, L.)
UNGERSTEDT, U. (*see* TOSSMAN, U.)
USKI, T.K. & ANDERSSON, K.-E. Effects of the thromboxane-receptor antagonist L-636,499 on feline cerebral arteries, 605
UVNÄS, B., ÅBORG, C.-H., LYSSARIDES, L., THYBERG, J. & DANIELSSON, L.-G. Rat mast cells superfused with isotonic solutions release histamine, probably via intracellular cation exchange $K^+ \rightleftharpoons Hi^+$ ions, 657

VÄÄNÄNEN, A. (*see* LEPPÄLUOTO, J.)
VILJANEN, A.A., VILJANEN, B. & MATTILA, S. The effect of inhaled carbon dioxide and hypoxia mixtures on the electrical and mechanical activities of respiratory muscles in dogs, 231
VILJANEN, B. (*see* VILJANEN, A.A.)
VUORI, J. (*see* LEPPÄLUOTO, J.)

WALLBERG-HENRIKSSON, H. Insulin treatment normalizes decreased glucose transport capacity in streptozotocin-diabetic rat muscle, 647
WALLIN, U. (*see* NORDIN, M.)
WESTERBLAD, H. & LÄNNERGREN, J. Force and membrane potential during and after fatiguing, intermittent tetanic stimulation of single *Xenopus* muscle fibres, 369
WESTERBLAD, H. (*see* LÄNNERGREN, J.)
WINBLAD, B. (*see* BIXO, M.)
WINGREN, U. (*see* LUNDELL, L.)

YU, S.P. (*see* TABTI, N.)

ZACKRISSON, U. (*see* HARALDSSON, B.)
ZINI, I. (*see* AGNATI, L.F.)
ZINNER, M.J. (*see* GRÖNSTAD, K.O.)
ZOLI, M. (*see* AGNATI, L.F.)

Subject index

Acetazolamide, 437
Acetylcholine, 1, 429
Acid secretion, 555, 563
Acinar cells, 437
Action potential, 359, 369
Adaptation of posture, 341
Adenosine, 1
Adequate stimulation, 41
Adipose tissue, 471
Adrenal glands, 65
Adrenergic mechanisms, 555
Adrenergic nerves, 167
α-adrenoceptors, 209
Adrenocorticotropin, 467
Afferent pathways, 379
Aldosterone, 535
Alkaline secretion, 555, 563
Alpha-1-adrenoceptor, 219
Alpha-2-adrenoceptor, 219
Alpha-glycerophosphate shuttle, 397
Amaygdaloid region, 389
Amenorrhoea, 467
Amine release, 657
Amino acid analysis, 9
Amphibian, 501
Angiotensin, 23
Anion conductance, 289
Anti-leakage effects, 653
Arterial pH, 547
Ascorbic acid uptake, 629
Atropine, 57
Autonomic nerves, 563
Autonomic nervous system, 65, 555
Autoradiography, 129, 195
AVP, 495
Axonal transmitter vesicles, 155
Axonal transport, 155
Axotomy, 645

Balance control, 341
Baroreceptor activation, 305
B-HT 933, 219
Bicarbonate secretion, 65
Blood–brain barrier, 9
Blood flow, 219, 417
Blood pressure, 77, 475
Brain, 201
Brattleboro rats, 495
Bronchial spasm, 1
Burst firing, 351

Calcitonin gene-related peptide, 453
Calcium, 509, 619
Calcium antagonists, 247
Capillaries, 259
Capsaicin, 175, 453
Carbachol, 309, 563
Carbonic anhydrase, 501, 547
Cat, 41, 415, 579
Cell injury, 409
Cell volume regulation, 501
Cerebral function, 597
Cerebral ischaemia, 445, 597
Cerebral vasodilation, 277
Chloralose, 579
Chloride transport, 289
Cholinergic, 155
Cholinergic stimulation, 575
Cl^-, 541
CNS, 187
Cobalt in neurohypophysis, 629
Colum perifusion, 335
Contraction, 359, 369, 525
Copper in neurohypophysis, 629
Cortisol, 467
Cyclic 3′5′-guanosine monophosphate, 57
Cystic fibrosis, 509

Dehydration, 77
Dehydroascorbic acid uptake, 629
Denervation supersensitivity, 309
Dermatology, 147
Development, 485
Diabetes mellitus, 647
Dipyridamole, 259
Dog, 471
Dopamine, 351
Dopamine and noradrenaline neurons, 187
Doxazosine, 219
Duct cells, 437
Duodenum, 65
Dynamic compliance, 1

ECG, 77
EEG, 389
Electrical stimulation, 71
Electrolytes, 77
Electromyograms, 231
Electromyography, 71
Endoluminal secretion, 97
β-endorphin, 201
Endorphin system, 515
Enkephalin, 175, 201
Enteric nervous system, 57, 83

Enzyme activity, 397
Epithelium, 501
Epitrochlearis muscle, 647
Equilibrium, 341
Exchange diffusion, 289
Exercise, 259, 471
External carotid flow, 415
Extracellular microdialysis 9

Facial muscles, 379
Facial nerve, 379
Fallopian tube, 525
Fatigue 359, 369
Feedback control, 41
Feline cerebral arteries, 605
Felodipine, 247
Focal synaptic potentials, 41
Forelimb afferents, 41
Furosemide, 289

Gallbladder, 501
Gastric mucosa, 587
Gastrocnemius, 485
Gastrointestinal transit, 47
Geometrical arrangement, 259
Glucagon secretion, 575
Glucose oxidation, 619
Goat, 535
Gonadotropins, 467
Growth hormone, 467

Haematocrit, 535
Haemoconcentration, 77
Haemorrhage, 445, 597
Halide selectivity, 289
Hansson's technique, 437
Heat stress, 77, 467
Hepatic artery, 309
Hexamethonium, 57, 83
Hippocampus, 389, 613
Histamine, 1, 309
Histamine formation, 587
Histamine release, 587, 657
Histamine storage, 587
Hot dry environment, 15
Human, 147
Human postural control, 341
Human pregnant uterus, 23, 33
Human skeletal muscle, 397, 651
Human veins, 209
6-hydroxydopamine, 167
5-hydroxytryptamine, 209, 309
5-hydroxytryptamine receptors, 209
Hypercalcaemia, 509
Hypercapnia, 231
Hypertension, 495
Hyperthermia, 77, 467
Hypoxia, 231

Image analysis, 129, 167
Immunofluorescence, 175
Immunohistochemistry, 147, 155
Incremental exercise, 15
Inflammation, 247
Inhalation anaesthesia, 613
Insulin responsiveness, 647
Insulin secretion, 267, 335, 619
Intercollicular projection, 579
Interictal epileptiform discharge, 415
Intestinal blood flow, 83
Intestinal countercurrent exchanger, 83
Intestinal fluid transport, 57, 83
Intestinal lymph flow, 83
Intra-ocular graft, 175
In vivo, 575
Iris, 167
Iron in neurohypophysis, 629
Ischaemia, 409
Islet culture, 267

K^+, 541
Kinematics, 341
Knee-extension, 475

L-636,499, 605
Lactate threshold, 15
Lidocaine, 57
Ligand activation, 289
L-phenylalanine, 335
L-phenylalanine methyl ester, 335
L-serine, 335
L-serine methyl ester, 335

Magnesium, 247
Malate–aspartate shuttle, 397
Mast cells, 657
Mean transit time, 475
Mecamylamine, 351
Mechanical power, 109
Medulla oblongata, 195
Metabolic acidosis, 535
Metabolic responses, 15
Methyl ethers, 613
3-methylglucose, 647
Microneurography, 379
Microsphere distribution to brain, 415
Miniature end-plate potential, 429
Mitochondria-rich cells, 289
Modifier site, 289
Motoneurones, 645
Motor neurons, 155, 379
Motor unit, 485
Mouse, 575
$MPDP^+$, 187
MPP^+, 187
MPTP, 187
Mucosal hyperaemia, 97

Mucosal leakage of macromolecules, 653
Mucosal mast cells, 587
Mucosa protection, 555
Mucosal protection, 65
Muscle capillaries, 651
Muscle elasticity, 109
Muscle fatigue, 109, 475
Muscle fibre areas, 651
Muscle fibres, 109
Myoglobin, 651
Myometrial arteries, 23, 33

$NaHCO_3$ secretion, 437
Na, K-ATPase, 547
Naloxone, 515, 597
Neocortex, 389
Nerve fibres, 147, 613
Nerve regeneration, 167
Neurohypophysis neurosecretosomes, 629
Neuromodulation, 351
Neuromuscular junction, 429
Neurosecretory granules, 629
Neurons, 613
Neuropeptide K, 453
Neurokinin A, 453
Neurophysiology, 71
Neurotensin, 47
Neurotoxicity, 187
NH_4Cl, 535
Nicotine, 351
Noradrenaline, 33, 209, 309
NPY, 147, 195

ob/ob-mice, 541, 619
Oestradiol, 241
Oestrogen, 525
Omeprazol, 563
Opiate receptors, 201
Osmolarity, 541
Overload, 485
Oxygen consumption, 77, 525
Oxytocin, 23

Pain, 379
Pancreatic β-cells, 619
Pancreatic islets, 267, 541
Pentagastrin, 563
Pentagastrin stimulation, 587
Peptides, 147
PGE_2, 33
$PGF_{2\alpha}$, 33, 605
PGI_2, 33
Phenylephrine, 219
PHI, 147
Phosphatidylinositol hydrolysis, 267
Phospholipid metabolism, 267
Physical exercise, 515
Physical training, 397, 651
Pig, 547
Placental arteries, 23, 33
Plasma catecholamines, 305
PMSG-model, 241
Portal vein, 309
Postjunctional, 219
Post-running depression, 515
Postural co-ordination, 341
Postural mechanisms, 341
Potassium, 619
Progesterone, 241, 525
Prolactin, 467
Prostaglandin $F_{2\alpha}$, 309
Prostanoid receptors, 605
Proton pump, 547
Pulmonary gas exchange, 1
Putative neurotransmitter, 9
Pyramidal cells, 613

Quantitation, 129

RASVA, 155
Rat, 195, 309
Rat brain, 241
Rats, 259
Rauwolscine, 219
Receptors, 129, 195
Reflex, 71
Regeneration, 409, 645
Regional cerebral/peripheral blood flow, 277
Regulation of breathing, 231
Reliability, 129
Renal blood flow, 305
Renal nerve activation, 305
Renal sympathetic nerve activity, 445

Saliva, 509
Satellite cells, 409
Secretin, 437, 547, 575
Self-inhibition, 289
Serotonin, 33
Serum glucose, 647
Single cell recording, 351
Skeletal muscle, 247, 259, 359, 369, 409
Skeletal muscle fibres, 359, 369
Skin, 147
Smooth muscle, 525
Somatosensory evoked potentials, 445, 597
Somatosensory system, 579
SP, 147
Spinal cord, 41, 175
Splanchnic nerves, 555
Spontaneously hypertensive rats, 445, 515, 597
Stomach, 563
Stretch, 71
Stretch-shortening cycle, 109
Substance P, 97, 175, 453
Substantia nigra, 351

Sweat, 509
Swine, 389
Sympathetic innervation, 471
Sympathetic nerve activity, 597
Sympathetic nervous system, 379
Synapsin I, 155
Synaptic vesicles, 155

Tenotomy, 485
Tetrodotoxin, 83
Thyroid hormones, 467
Tidal volume, 231
Thyroliberin, 277
Toad skin epithelium, 289
Transmitter release, 429
Transport, 501
TRH, 277
TSH, 467

U46619, 605
Unrestrained, 389
Ureteric motility, 453

Vagal nerves, 65, 555, 563
Vagal stimulation, 639
Vagotomy, 47
Vascular leakage of macromolecules, 653
Vasopressin, 23, 309
Ventilatory threshold, 15
Ventral tegmental area, 351
Verapamil, 247
VIP, 147
VIP release, 639
Volume regulation, 541
Volume transmission, 201

133-xenon wash-out, 471

Zinc in neurohypophysis, 629

ACTA PHYSIOLOGICA SCANDINAVICA

EDITORIAL BOARD

Chief Editor

B. Uvnäs *Stockholm*

National Editors

N. A. Thorn *København*

J. Leppäluoto *Oulu*

J. Jansen *Oslo*

D. Ottoson *Stockholm*

Volume 128

Pages 1–670

Published for the

SCANDINAVIAN

PHYSIOLOGICAL SOCIETY *by*

BLACKWELL SCIENTIFIC PUBLICATIONS

1986

Published for the
Scandinavian Physiological Society by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108, USA
667 Lytton Avenue, Palo Alto, California 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1986 Scandinavian Physiological Society

Printed in Great Britain
by the University Press, Cambridge

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the Scandinavian Physiological Society for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $02.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. Special requests should be addressed to the Editor. 0001-6772/86 $02.00.

Contents

VOLUME 128, NUMBER 1, SEPTEMBER 1986

KRÖLL, F., KARLSSON, J.-A., NILSSON, E., PERSSON, C. G. A. & RYRFELDT, Å. Lung mechanics of the guinea-pig isolated perfused lung 1

TOSSMAN, U. & UNGERSTEDT, U. Microdialysis in the study of extracellular levels of amino acids in the rat brain 9

SMOLANDER, J., KOLARI, P., KORHONEN, O. & ILMARINEN, R. Aerobic and anaerobic responses to incremental exercise in a thermoneutral and a hot dry environment 15

MAIGAARD, S., FORMAN, A. & ANDERSSON, K.-E. Differential effects of angiotensin, vasopressin and oxytocin on various smooth muscle tissues within the human uteroplacental unit 23

MAIGAARD, S., FORMAN, A. & ANDERSSON, K.-E. Relaxant and contractile effects of some amines and prostanoids in myometrial and vascular smooth muscle within the human uteroplacental unit 33

GÓRSKA, T. & JOHANNISSON, T. Projection of Ia and Ib afferents from forelimb muscles to the C_3–C_4 segments of the cat spinal cord 41

HELLSTRÖM, P. M. Vagotomy inhibits the effects of neurotensin on gastrointestinal transit in the rat 47

EKLUND, S., JODAL, M. & LUNDGREN, O. The net fluid secretion caused by cyclic 3′,5′-guanosine monophosphate in the rat jejunum *in vivo* is mediated by a local nervous reflex 57

JÖNSON, C., NYLANDER, O., FLEMSTRÖM, G. & FÄNDRIKS, L. Vagal stimulation of duodenal HCO_3^--secretion in anaesthetized rats 65

TARKKA, I. M. & LARSEN, T. A. Short and long latency reflex responses elicited by electrical and mechanical stimulation in human hand muscle 71

LEPPÄLUOTO, J., TUOMINEN, M., VÄÄNÄNEN, A., KARPAKKA, J. & VUORI, J. Some cardiovascular and metabolic effects of repeated sauna bathing 77

KARLSTRÖM, L., JODAL, M. & LUNDGREN, O. Blood flow distribution, lymph flow, villus tissue osmolality and fluid and electrolyte transport after exposing the cat small intestine to sodium deoxycholate 83

GRÖNSTAD, K. O., DAHLSTRÖM, A., JAFFE, B. M., ZINNER, M. J. & AHLMAN, H. Studies on the mucosal hyperaemia of the feline small intestine observed at endoluminal perfusion with substance P 97

BOSCO, C., TIHANYI, J., LATTERI, F., FEKETE, G., APOR, P. & RUSKO, H. The effect of fatigue on store and re-use of elastic energy in slow and fast types of human skeletal muscle 109

BRADLEY, T. & HJEMDAHL, P. Influence of afferent renal nerve activity on contralateral renal overflow of noradrenaline and dopamine to plasma in the dog 119

HÄRFSTRAND, A. Intraventricular administration of neuropeptide Y (NPY) induces hypotension, bradycardia and bradypnoea in the awake unrestrained male rat. Counteraction by NPY-induced feeding behaviour 121

DELBRO, D. & GUSTAFSSON, B. Vagally and vago-vagally induced non-adrenergic, non-cholinergic relaxations of the feline jejunum 125

Proceedings of the Scandinavian Physiological Society Meeting in Gøteborg 25–26 April 1986

VOLUME 128, NUMBER 2, OCTOBER 1986

EDITOR'S COMMENT 127

BENFENATI, F., CIMINO, M., AGNATI, L. F. & FUXE, K. Quantitative autoradiography of central neurotransmitter receptors: methodological and statistical aspects with special reference to computer-assisted image analysis 129

JOHANSSON, O. A detailed account of NPY-immunoreactive nerves and cells of the human skin. Comparison with VIP-, substance P- and PHI-containing structures 147

BÖÖJ, S., LARSSON, P.-A., DAHLLÖF, A.-G. & DAHLSTRÖM, A. Axonal transport of synapsin I- and cholinergic synaptic vesicle-like material; further immunohistochemical evidence for transport of axonal cholinergic transmitter vesicles in motor neurons 155

LUTHMAN, J. & HALLMAN, H. Quantitation of noradrenaline nerve density in mouse iris by computer-assisted image analysis 167

HENSCHEN, A., KESSLER, J., SEIGER, Å. & OLSON, L. Enkephelin and capsaicin-resistant substance P-like immunoreactivities in intra-ocular grafts of different fetal spinal cord areas 175

JONSSON, G., NWANZE, E., LUTHMAN, J. & SUNDSTRÖM, E. Effect of MPTP and its pyridinium metabolites on monoamine uptake and on central catecholamine neurons in mice 187

HÄRFSTRAND, A., FUXE, K., AGNATI, L. F., BENFENATI, F. & GOLDSTEIN, M. Receptor autoradiographical evidence for high densities of ^{125}I-neuropeptide Y binding sites in the nucleus tractus solitarius of the normal male rat 195

AGNATI, L. F., FUXE, K., ZOLI, M., OZINI, I., TOFFANO, G. & FERRAGUTI, F. A correlation analysis of the regional distribution of central enkephalin and β-endorphin immunoreactive terminals and of opiate receptors in adult and old male rats. Evidence for the existence of two main types of communication in the central nervous system: the volume transmission and the wiring transmission 201

ARNER, M. & HÖGESTÄTT, E. D. Contractile effects of noradrenaline and 5-hydroxytryptamine in human hand veins: a pharmacological receptor characterization 209

LINDBLAD, L. E. & EKENVALL, L. Alpha-adrenoceptors in the vessels of human finger skin 219

DAHLKVIST, H. & ARNQVIST, H. Effect of fasting and refeeding on glucose metabolism in rat aorta 223

VILJANEN, A. A., VILJANEN, B. & MATTILA, S. The effect of inhaled carbon dioxide and hypoxia mixtures on the electrical and mechanical activities of respiratory muscles in dogs 231

BIXO, M., BÄCKSTRÖM, T., WINBLAD, B., SELSTAM, G. & ANDERSSON, A. Comparison between pre- and postovulatory distributions of oestradiol and progesterone in the brain of the PMSG-treated rat 241

HARALDSSON, B., ZACKRISSON, U. & RIPPE, B. Calcium dependence of histamine-induced increases in capillary permeability in isolated perfused rat hindquarters 247

ADOLFSSON, J. The time dependence of training-induced increase in skeletal muscle capillarization and the spatial capillary to fibre relationship in normal and neovascularized skeletal muscle of rats 259

HALLBERG, A. Dissociation of phosphatidylinositol hydrolysis and insulin secretion of cultured mouse pancreatic islets 267

KOSKINEN, L.-O. D. Effects of TRH on cerebral and peripheral blood flows; role of submesencephalic brain stem centres 277

HARCK, A. F. & HVIID LARSEN, E. Concentration dependence of halide fluxes and selectivity of the anion pathway in toad skin 289

BRADLEY, T., SOLLEVI, A. & LAGERKRANSER, M. Effect of hypotension induced by sodium nitroprusside on catecholamine overflow in the canine kidney 305

HÖGESTÄTT, E. D., HAMMARSTRÖM, L.-E., ANDERSSON, K.-E. & HOLMIN, T. Contractile effects of various vasoactive agents in small rat portal veins and hepatic arteries and the influence of sympathetic denervation on the noradrenaline response 309

Rapid communications

HUA, X.-Y., KINN, A.-C. & LUNDBERG, J. M. Capsaicin-sensitive nerves and ureteric motility: opposing effects of tachykinins and calcitonin gene-related peptide 317

FORSBERG, K. & KARLSSON, J.-A. Cough induced by stimulation of capsaicin-sensitive sensory neurons in conscious guinea-pigs 319

NAGATA, M., FRANCO-CERECEDA, A., SVENSSON, T. H. & LUNDBERG, J. M. Clonidine treatment elevates content of neuropeptide Y in cardiac nerves 321

NEDERGAARD, S., ENGBERG, I. & FLATMAN, J. A. Serotonin facilitates NMDA responses of cat neocortical neurones 323

BRODIN, L. & GRILLNER, S. Tonic inhibition of a new type of spinal interneurone during fictive locomotion in the lamprey 327

INSTRUCTIONS TO AUTHORS 331

VOLUME 128, NUMBER 3, NOVEMBER 1986

KOFOD, H., LERNMARK, Å. & HEDESKOV, C. J. Potentiation of insulin release in response to amino acid methyl esters correlates to activation of islet glutamate dehydrogenase activity 335

ODDSSON, L. & THORSTENSSON, A. Fast voluntary trunk flexion movements in standing: primary movements and associated postural adjustments 341

GRENHOFF, J., ASTON-JONES, G. & SVENSSON, T. H. Nicotinic effects on the firing pattern of midbrain dopamine neurons 351

LÄNNERGREN, J. & WESTERBLAD, H. Force and membrane potential during and after fatiguing, continuous high-frequency stimulation of single *Xenopus* muscle fibres 359

WESTERBLAD, H. & LÄNNERGREN, J. Force and membrane potential during and after fatiguing, intermittent tetanic stimulation of single *Xenopus* muscle fibres 369

NORDIN, M., HAGBARTH, K.-E., THOMANDER, L. & WALLIN, U. Microelectrode recordings from the facial nerve in man 379

FORSLID, A., ANDERSSON, B. & JOHANSSON, S. Observations on normal EEG activity in different brain regions of the unrestrained swine 389

SCHANTZ, P. G., SJÖBERG, B. & SVEDENHAG, J. Malate–aspartate and alpha-glycerophosphate shuttle enzyme levels in human skeletal muscle: methodological considerations and effect of endurance training 397

JENNISCHE, E. Rapid regeneration in postischaemic skeletal muscle with undisturbed microcirculation 409

LANDGREN, S., SELSTAM, G., AASLY, J. & DANIELSSON, E. A method for recording effects of anti-epileptic drugs on interictal discharge in the cat's cerebral cortex. Factors determining the distribution of external carotid artery infusions 415

TABTI, N., LUPA, M. T., YU, S. P. & THESLEFF, S. Pharmacological characterization of the calcium-insensitive, intermittent acetylcholine release at the rat neuromusclar junction 429

BUANES, T., GROTMOL, T., LANDSVERK, T., RIDDERSTRÅLE, Y. & RÆDER, M. G. Histochemical localization of carbonic anhydrase in the pig's exocrine pancreas 437

SKARPHEDINSSON, J. O., STAGE, L. & THORÉN, P. Cerebral function during hypotensive haemorrhage in spontaneously hypertensive rats and Wistar Kyoto rats 445

HUA, X.-Y. & LUNDBERG, J. M. Dual capsaicin effects on ureteric motility: low dose inhibition mediated by calcitonin gene-related peptide and high dose stimulation by tachykinins? 453
LEPPÄLUOTO, J., HUTTUNEN, P., HIRVONEN, J., VÄÄNÄNEN, A., TUOMINEN, M., & VUORI, J. Endocrine effects of repeated sauna bathing 467
BÜLOW, J. & MADSEN, J. Exercise-induced increase in dog adipose tissue blow flow before and after denervation 471
SJØGAARD, G., KIENS, B., JØRGENSEN, K. & SALTIN, B. Intramuscular pressure, EMG and blood flow during low-level prolonged static contraction in man 475
GOLLVIK, L., KELLERTH, J.-O. & ULFHAKE, B. The effects of tenotomy and overload on the postnatal development of medial gastrocnemius motor units in the cat 485

VOLUME 128, NUMBER 4, DECEMBER 1986

APERIA, A., SAHLGREN, B., EKLÖF, A.-C., LUNDIN, S. & MELIN, P. Role of arginine-vasopressin for the development of hypertension following aortic constriction 495
PERSSON, B.-E. & LARSON, M. Carbonic anhydrase inhibition and cell volume regulation in Necturus gallbaldder 501
SAGULIN, G.-B., TØRRING, O., HELLSING, K. & ROOMANS, G. M. Saliva and sweat secretion in man during a one-hour calcium clamp 509
SHYU, B. C. & THORÉN, P. Circulatory events following spontaneous muscle exercise in normotensive and hypertensive rats 515
LYDRUP, M.-L. & HELLSTRAND, P. Rate of oxidative and glycolytic metabolism in the guinea-pig oviduct in relation to contractility and hormonal cycle 525
AUGUSTINSSON, O. & JOHANSSON, K. Ammonium chloride induced acidosis and aldosterone secretion in the goat 535
LINDSTRÖM, P., NORLUND, L. & SEHLIN, J. Potassium and chloride fluxes are involved in volume regulation in mouse pancreatic islet cells 541
GROTMOL, T., BUANES, T. & RÆDER, M. G. *NN'*-dicyclohexylcarbodiimide (DCCD) reduces pancreatic $NaHCO_3$ secretion without changing pancreatic tissue ATP levels 547
FÄNDRIKS, L. Sympatho-adrenergic inhibition of vagally induced gastric motility and gastroduodenal HCO_3^- secretion in the cat 555
FÄNDRIKS, L. & STAGE, L. Simultaneous measurements of gastric motility and acid–bicarbonate secretions in the anaesthetized cat 563
AHRÉN, B. & LUNDQUIST, I. Secretin potentiates cholinergically induced glucagon secretion in the mouse 575
DANIELSSON, I. & NORRSELL, U. Somatosensory units in the cat's intercollicular region 579
LUNDELL, L., FORSELL, H., LÖNROTH, H., ROSENGREN, E. & WINGREN, U. Histamine storage and formation in canine gastric mucosa—effect of pentagastrin stimulation 587
SKARPHEDINSSON, J. O. & THORÉN, P. The effects of naloxone on cerebral function in spontaneously hypertensive rats during hypotensive haemorrhage 597
USKI, T. K. & ANDERSSON, K.-E. Effects of the thromboxane-receptor antagonist L-636,499 on feline cerebral arteries 605
BERG-JOHNSEN, J. & LANGMOEN, I. A. Isoflurane effects in rat hippocampal cortex: a quantitative evaluation of different cellular sites of action 613
BERGSTEN, P., RORSMAN, F. & HELLMAN, B. Modifications of the pancreatic β-cell function after lowering their potassium content 619

THORN, N. A., NIELSEN, F. S., JEPPESEN, C. K., CHRISTENSEN, B. L. & FARVER, O. Uptake of dehydroascorbic acid and ascorbic acid to isolated nerve terminals and secretory granules from ox neurohypophyses 629

BJÖRCK, S., FAHRENKRUG, J., JIVEGÅRD, L. & SVANVIK, J. Release of immunoreactive vasoactive intestinal peptide (VIP) from the gallbladder in response to vagal stimulation 639

Rapid communications

THORN, N. A., JEPPESEN, C. K. & NIELSEN, F. S. Glucocorticoids and tri-iodothyronine inhibit uptake of ascorbic acid to isolated nerve terminals from ox neurohypophyses 643

CARLSTEDT, T., LINDÅ, H., CULLHEIM, S. & RISLING, M. Reinnervation of hind limb muscles after ventral root avulsion and implantation in the lumbar spinal cord of the adult rat 645

WALLBERG-HENRIKSSON, H. Insulin treatment normalizes decreased glucose transport capacity in streptozotocin-diabetic rat muscle 647

TERRADOS, N., MELICHNA, J., SYLVÉN, C. & JANSSON, E. Decrease in skeletal muscle myoglobin with intensive training in man 651

ERJEFÄLT, I. & PERSSON, C. G. A. Anti-asthma drugs attenuate inflammatory leakage of plasma into airway lumen 653

PERNOW, J. & LUNDBERG, J. M. Neuropeptide Y constricts human skeletal muscle arteries via a nifedipine-sensitive mechanism independent of extracellular calcium? 655

UVNÄS, B., ÅBORG, C.-H., LYSSARIDES, L., THYBERG, J. & DANIELSSON, L.-G. Rat mast cells superfused with isotonic solutions release histamine, probably via intracellular cation exchange $K^+ \rightleftharpoons Hi^+$ ions 657

FREDHOLM, B. B., HU, P.-S. & LINDGREN, E. The dihydropyridine calcium-channel agonist BayK 8644 inhibits the presynaptic effects of R-phenylisopropyl adenosine in the rat hippocampus 659

AUTHOR AND SUBJECT INDEX 661